



Concrete Spacers - Triple cover - 60Mpa

Product code	Description	Dimension mm	Product sold in	Units per bag/box	Weight (kg) per unit	Bags/boxes per pallet	Units per pallet	Weight (kg) per pallet
CB543AS	Concrete spacer	55x45x35	Bag	50	0.20	50	2,500	500
CB653AS	Concrete spacer	65x50x32	Bag	50	0.26	50	2,500	650
CB654AS	Concrete spacer	60x50x40	Bag	50	0.28	50	2,500	700
CB754AS	Concrete spacer	75x50x40	Bag	40	0.35	50	2,000	700
CB765AS	Concrete spacer	75x65x50	Bag	25	0.60	50	1,250	750
CB777AS	Concrete spacer	75x75x75	Bag	15	1.00	50	750	750
CB1077AS	Concrete spacer	100x75x75	Bag	10	1.30	50	500	650
CB1119AS	Concrete spacer	115x100x90	Bag	5	2.40	50	250	600



Concrete Spacers - Single cover - with Galvanised loop wire - 60Mpa

Product code	Description	Dimensions mm	Product sold in	Units per bag/box	Weight (kg) per unit	Bags/boxes per pallet	Units per pallet	Weight (kg) per pallet
CBW40AS	Concrete spacer	40x50x50	Bag	50	0.26	25	1,250	325
CBW50AS	Concrete spacer	50x50x50	Bag	50	0.30	25	1,250	375
CBW60AS	Concrete spacer	60x50x50	Bag	25	0.36	50	1,250	450
CBW65AS	Concrete spacer	65x50x50	Bag	25	0.40	50	1,250	500
CBW70AS	Concrete spacer	70x60x60	Bag	25	0.60	25	625	375
CBW75AS	Concrete spacer	75x60x60	Bag	20	0.65	25	500	325
CSW80AS	Concrete spacer	80x60x60	Bag	20	0.70	25	500	350
CBW90AS	Concrete spacer	90x60x60	Bag	20	0.75	25	500	375
CBW100AS	Concrete spacer	100x60x60	Bag	15	0.87	25	375	325



Spacers are used to ensure that the specified concrete cover to the reinforcement for structures and structural elements is achieved, both before and during concreting.

- * All concrete spacers meet the Australian Standard AS/NZS 2425:2015
- * Rapid Chloride Permeability - classed as very low - SGS Laboratories
- * Minimum compression strength - 60Mpa - Hanson Group Technical services
- * Optimum material with in-situ concrete - no hairline cracks between spacer and concrete.
- * Consistent and accurate dimensional tolerances and do not deform under temperature fluctuations
- * Excellent physical and chemical resistance

We can also customize spacers for you....





Metal Spacers - Bar Chairs > 200kg class

Product code	Description	Dimension mm	Product sold in	Units per bag/box	Weight (kg) per unit	Bags/boxes per pallet	Units per pallet	Weight (kg) per pallet
BC020AS	Bar Chair	20mm	Bag	100	0.02	200	20,000	400
BC025AS	Bar Chair	25mm	Bag	100	0.03	200	20,000	500
BC030AS	Bar Chair	30mm	Bag	100	0.03	100	10,000	300
BC040AS	Bar Chair	40mm	Bag	100	0.04	100	10,000	400
BC045AS	Bar Chair	45mm	Bag	100	0.05	50	5,000	225
BC050AS	Bar Chair	50mm	Bag	100	0.05	50	5,000	250
BC065AS	Bar Chair	65mm	Bag	100	0.07	50	5,000	325
BC075AS	Bar Chair	75mm	Bag	100	0.08	50	5,000	375
BC090AS	Bar Chair	90mm	Bag	100	0.09	50	5,000	450
BC100AS	Bar Chair	100mm	Bag	100	0.10	50	5,000	500
BC110AS	Bar Chair	110mm	Bag	100	0.11	50	5,000	550
BC120AS	Bar Chair	120mm	Bag	100	0.12	50	5,000	600
BC130AS	Bar Chair	130mm	Bag	100	0.13	50	5,000	650
BC140AS	Bar Chair	140mm	Bag	50	0.14	50	2,500	350
BC150AS	Bar Chair	150mm	Bag	50	0.15	50	2,500	375
BC160AS	Bar Chair	160mm	Bag	50	0.16	50	2,500	400
BC170AS	Bar Chair	170mm	Bag	50	0.17	50	2,500	425
BC180AS	Bar Chair	180mm	Bag	50	0.18	50	2,500	450
BC190AS	Bar Chair	190mm	Bag	50	0.19	50	2,500	475
BC200AS	Bar Chair	200mm	Bag	50	0.20	50	2,500	500
BC210AS	Bar Chair	210mm	Bag	50	0.21	50	2,500	525
BC220AS	Bar Chair	220mm	Bag	50	0.22	50	2,500	550
BC230AS	Bar Chair	230mm	Bag	50	0.23	50	2,500	575
BC240AS	Bar Chair	240mm	Bag	50	0.24	50	2,500	600
BC250AS	Bar Chair	250mm	Bag	50	0.25	50	2,500	625
BC260AS	Bar Chair	260mm	Bag	50	0.26	50	2,500	650
BC270AS	Bar Chair	270mm	Bag	50	0.27	50	2,500	675
BC280AS	Bar Chair	280mm	Bag	50	0.28	50	2,500	700
BC290AS	Bar Chair	290mm	Bag	50	0.29	50	2,500	725
BC300AS	Bar Chair	300mm	Bag	50	0.30	50	2,500	750



Spacers are used to ensure that the specified concrete cover to the reinforcement for structures and structural elements is achieved, both before and during concreting.

- * All steel spacers meet the Australian Standard AS/NZS 2425:2015
- * Can be used vertically and horizontally using tie wire





Wire products

Product code	Description	Dimension mm	Product sold in	Units per bag/box	Weight (kg) per unit	Bags/boxes per pallet	Units per pallet	Weight (kg) per pallet
--------------	-------------	--------------	-----------------	-------------------	----------------------	-----------------------	------------------	------------------------

Tie wire Handy Coils



TWHC 1.4	1.2kg black anneal	1.40mm	Box	10	1.20	64	640	768
TWHC 1.57	1.2kg black anneal	1.57mm	Box	10	1.20	64	640	768
TWHC 1.4G	1.2kg Galvanised	1.40mm	Box	10	1.20	64	640	768
TWHC 1.6G	1.2kg Galvanised	1.60mm	Box	10	1.20	64	640	768
TWHC 1.4SS	1.2kg Stainless Steel 316	1.40mm	Box	10	1.20	64	640	768



Tie wire - 25kg coil

TW2.5 Coil	2.5mm wire	2.50mm	Roll	1	25	20	20	500
TW3.15 Coil	3.15mm wire	3.15mm	Roll	1	25	20	20	500



Pre-cut tie wire

TW 500	Pre cut 3.15mm	500mm	Bundle	50	0.06	160	8,000	515
TW 800	Pre cut 3.15mm	800mm	Bundle	50	0.10	100	5,000	510
TW 1200	Pre cut 3.15mm	1200mm	Bundle	50	0.18	100	5,000	883
TW 1500	Pre cut 3.15mm	1500mm	Bundle	50	0.23	100	5,000	1,125

Loop Ties



Lp T1	Annealed	110mm	Bundle	2,000	5.70	45	90,000	257
Lp T2	Annealed	150mm	Bundle	2,000	7.00	36	72,000	252
Lp T3	Galvanised	250mm	Bundle	2,000	10.00	36	72,000	360
Lp T4	Stainless steel	250mm	Bundle	2,000		36	72,000	-
Lp T5	Annealed	200mm	Bundle	2,000	10.00	36	72,000	360
Lp Tie Tw	Twist tool	push/pull	each	1				

